

Part -II STORE LIST

Ser No	Items	A/U	Qty	Rate/ unit	total	Remarks
1	Supply only of Steel section for Main Column shall be of rectangular hollow steel sections of size 100mm x 50mm, 4mm wt not less than 8.59 Kg/RM conforming to IS: 4923: 1997 thick and shall be of height 1.00m. Each column shall have base plate of size 230 x 230x 8mm thick of wt not less than 62.80Kg/sqm with 4 holes for fixing foundation bolts of 16mm 600mm long with nuts and 100mm threaded portion on top with addl 100mm bend at bottom.	Nos	64			
2	Supply only Steel section for Verandha column shall be of rectangular hollow steel sections of size 66x33x3.6m , and weight should not be less than 4.93 Kg/Mtr and shall be of height 1.00m. Each column shall have bottom plate of size 230 x 230x 8mm thick of wt not less than 62.80Kg/sqm with 4 holes for fixing foundation bolts of 16mm dia 600 mm long with nuts and 100mm threaded portion on top with addl 100mm bend at bottom.	Nos	32			
3	Supply only of 16mm dia mild steel foundation bolt of 600mm long with nuts and 100mm threaded portion on top with addl 100mm bend at bottom.	nos	410			
4	Supply only of CGI sheet (GI based) of profile 1070mm x 3650 mm, 0.5mm thick with semi circular shaped profile confirming to AFTM-A653/ZIF 3312/IF227/AF1397 and of thk 0.50 mm make LLOYDS/TATA/JINDAL/ASIAN ISI marked or equivalent.	Nos	70			
5	Supply only of CGI sheet (GI based) of 600mm x 2460 mm, 0.5mm thick confirming to AFTM-A653/ZIF 3312/IF227/AF1397 and of thick 0.50 mm for ridge profile Make LLOYDS/TATA/JINDAL/ASIAN ISI marked or equivalent	Nos	20			
6	Supply only of Sunshade made of Pre-Painted galvalume aluminium zinc coating GI based plain steel sheet 0.5mm thick of choice colour conforming to IS-277, 2003 reinforced with angle iron frame 35 x 35 x 5mm and Flat Iron 35 x 3mm will be provided to all windows except in verandha. The minimum projection of sunshade shall be 450mm and 300mm wider than the opening. The sunshades shall have 20 degree downward slope.	Nos	18			
7	Supply only Self driven power screw of 3mm in dia and 55mm long in built rubber washer and GI washer	Nos	1000			
8	Supply only Wooden doors(flush shutter) of size 1.00 x 2.10m of thickness 30mm with angle iron frame (40x40x6mm) with two cleats welded to the Frame as door stopper Incl 1 Nos MS sliding door bolt 300mm, 3 Nos-Tower bolt 200mm , 6 Nos -MS hinge 125mm size , 2 Nos -125mm Handle fabricated out of 25x6mm thick flat iron , 6 Nos-40mm x 6mm of 300 mm long hold fast of FI made to shape, complete with two coats of red oxide.	Nos	11			
9	Supply only 2x2ft and 6mm thick gypsum board false ceiling along with alluminium grids with suspenders incl all other attachments required for fixing of false ceiling over the iron trusses.	sqm	50			
10	Supply only 2x0.75mtr PVC door along with PVC chawkhat including 3 nos Stainless steel piano hinges, 2 nos alluminium tower bolt of size 150mm, 2 nos alluminium handles of size 150mm along with fastners for fixing of chawkhat in wall.	nos	4			

Ser No	Items	A/U	Qty	Rate/ unit	total	Remarks
11	Supply only Steel window of size 1.2mx1.2m of Window shutter shall be fly proof made out of steel hollow section of 1.25mm thick . Inner shutter should be of wire netting of stainless steel wire 0.56 mm dia and 1.18mm aperture fixed with MS flat with nuts and bolts of suitable size . Each window shutter shall include 01 Nos MS handle of 150mm, 02 Nos Ms tower bolts of 150mm and 1 Nos window stay. Glass sheet of 4mm thickness shall be fixed to the outside shutter using glass putty and clips.	Nos	10			
12	Supply only steel ventilator of size 300x450mm with shutter made of steel hollow section of 1.25mm thick.Each ventilator shall include 01 Nos MS handle of 100mm, 02 Nos Ms tower bolts of 100mm and 1 Nos ventilator stay. Glass sheet of 4mm thickness shall be fixed to the outside shutter using glass putty and clips.	nos	4			
13	Supply only PVC mirror cabinet of size 350x450mm. Make: Prayag, Commander,Cera.	nos	2			
14	Supply only heavy duty PVC pipe of size 4 inches.Make: Prayag, Astral pipes,Supreme.	Rm	30			
15	Supply only heavy duty PVC pipe of size 3 inches.Make:Prayag, Astral pipes,Supreme.	Rm	10			
16	Supply only heavy duty PVC pipe of size 1 inches.Make: Prayag, Astral pipes,Supreme.	Rm	10			
17	Supply only 15mm dia CP bib tap.Make: Seiko, Jaguar, Marc.	nos	4			
18	Supply only 15mm dia CP pillar tap.Make: Seiko, Jaguar, Marc.	nos	2			
19	Supply only vitrous china wash hand basin of size 315x550x485mm incld waste pipe angles for fixation of WHB to wall,CP grating and incl all other fittment items which is required.Make: Cera, Jaguar, Parryware.	nos	2			
20	Supply only vitrous china orissa pattern WC of size incld flushing cistern, seat cover, jet spray,health faucet,S/P trap as per site requirement and incl all other fittment items which is required.Make: Cera, Jaguar,Parryware.	Nos	4			
21	Supply only CP angle valve.Make: Seiko, Jaguar, Marc.	Nos	6			
22	Supply only vitrous china Urinal Half stall type white incl angles for fixation also connections to flushing pipes and outgoing pipes including white Urinal partition of size 310x700mm and also incl flushing cistern,flush pipe and waste pipe and all other attachments required for fixation.Make:Cera, Jaguar,Parryware.	nos	3			
23	Supply only sub class B Bricks first quality of size 230mm x115mm x75mm. Bricks shall have crushing strength of not less than 75 Kg / Sq.cm. Water absorption shall not be more than 20%.	Nos	82000			
24	Supply only Cement Bags PPC conforming to IS -1489 (Part-I) 1991 with amdt No 1 to 3 packed in HDPE Bag of 50 Kg each confirming to IS-11652/2000 (Make : Ambuja/Birla/Ultratech/ Shree Ultra/ACC.	Bag	1400			

Ser No	Items	A/U	Qty	Rate/ unit	total	Remarks
25	Supply only fine Sand conforming to IS-383-1970. The sand shall be hard, dense, strong, durable, clear and free from veins, adherent coatings, disintegrated pieces, alkali, vegetable matters and other deleterious substances.	Cum	35			
26	Supply only of coarse Sand confiming to is 383-1970	Cum	150			
27	Supply only of Graded Stone Aggregate of size 40-63mm conforming to IS-383-1970	Cum	86			
28	Supply only Graded Stone Aggregate of size 40mm conforming to IS-383-1970	Cum	65			
29	Supply only Graded Stone Aggregate of size 20mm conforming to IS-383-1970	Cum	60			
30	Supply only 8mm dia mild steel TMT bars shall conform to IS – 1786 & grade Fe – 415, Fe– 500, Fe – 550.	Kg	1300			
31	Supply only 10mm dia mild steel TMT bars shall conform to IS – 1786 & grade Fe – 415, Fe– 500, Fe – 550.	Kg	1200			
32	Supply only 600x600mm vetrified tiles 10mm thick, Premium quality, for floor.Make: Kajaria , Somany , Orient Bell.	Sqm	620			
33	Supply only of stainless steel wire cloth of .36mm nominal dia wireand average width of aperture 1.40mm.	Sqm	40			
34	Supply only Thinner Make SHALIMAR / ASIAN / JENSON AND NICHOLSON/ BERGER / GOODLAS NEROLAC/ASIAN GOLD	Ltr	10			
35	Supply only Red oxide (Zinc Chromate) Make : Shalimar/ Asian/Jenson and Nicholson/Berger/Goodlas Nerolac/ASIAN GOLD	Ltr	15			
36	Supply only Synthetic Enamel Paint. Make : SHALIMAR / ASIAN / JENSON AND NICHOLSON/ BERGER / GOODLAS NEROLAC	Ltr	40			
37	Supply only wall putty Make: JK wall putty, Birla wall putty, Asian paint.	Kg	25			
38	Supply only Oil bound distemper Make: Asian paint, Dulux, Narolac.	Ltr	140			
39	Supply only wall Primer Make: Asian Gold, Narolac, Asian paint.	Ltr	140			
40	Supply only wood primer Make: Asian Gold, Narolac, Asian paint.	ltr	5			
41	Supply only enamel paint white/black/green as per site requirement Make: Asian Gold, Narolac, Asian paint.	Ltr	25			
42	Supply only cement base paint Make: Acrocem, Asian paint, Narolac.	Kg	175			
43	Hiring only of one Mechanical concrete mixture of capacity 1cum incl fuel for 8 hours per day and spares incase of break down.	per day	20			
44	Supply only of 5 inch tile cutter blade.	nos	10			
45	Supply only Mason threads Nylon 100 mtr yarn	Roll	2			
46	Supply only Water level pipe 30 mtr long Superior quality	Nos	1			

Ser No	Items	A/U	Qty	Rate/ unit	total	Remarks
47	Supply only Hacksaw blade both side teeth 1' long superior quality.	Pkt	1			
48	Supply only Painting brush 3" Make Jawahar/Sagar/Priyanka/ Johnson or equivalent	Nos	4			
49	Supply only Ply wood 2.40m x 1.20mx12mm commercial type for form work.	Nos	2			
50	Supply only Measuring tape 30 mtr metallic.	Nos	1			
51	Supply only Measuring tape 5 Mtr steel.	Nos	1			
52	Supply only Lashing 1/2" dia 30 Mtr long.	Nos	2			
53	Supply only Nails various sizes.	Kgs	5			
54	Supply only Complete Mason Tools (Trawler all type, Wooden plaster, Iron plaster, Nylon rope ,Tasala ,Poudah, Ganthi)	Each	4			
55	Supply only Tile cutter machine.Make:Bosch, Black & Decker.	Nos	2			
56	Supply only Tool Kit Set (Drill Machine, Plastic Carry Case, Masonary drill bits, Metal drill bits, Wood drill bits, Claw hammer with rubber grip, Screw drive bits, Screw driver, Magantic adaptor, Sockets, Nut driver adaptor, Measuring tape, Combinator pliers, Adjustable knife, 3d Spirit level) Make Bosch/Black & Decker.	set	2			
<u>ELECTRICAL STORES</u>						
1	Supply only switch board of hylem/ laminated sheet of thickness specified as relevant IS code	Nos	10			
2	Supply only of switch piano one way 20 amps Make : Anchor, Bajaj , Havells	Nos	20			
3	Supply only Ceiling fan 1200 mm sweep complete with electronic dimmer 450W Make Crompton Greaves /Usha/ Bajaj/Orient/Havells.	Nos	12			
4	Supply only Hook for hanging of ceiling fan	Nos	12			
5	Fluorescent tube light fitting single tube 1x18 W, 230 V energy efficient T5 with all essential tools and attachments Make : Bajaj/Crompton/Havells	Nos	44			
6	Supply only Ceiling rose 2 to 3 terminal Make- Havells/Bajaj/Anchor	Nos	50			
7	Supply only 5 Pin 5 Amps switch socket combination with PVC mounting box Make-Havells/Bajaj/Anchor.	Nos	10			
8	Supply only MCB DP 32Amps conforming to IS 8828-1996 Make Havells/L&T/Indokupp/Standard/Anchor.	Nos	2			
9	Supply only Miniature circuit breaker (MCB) 6 Amp to 32 Amps (single pole) Make Havells/L&T/Indokupp/ Standard/Anchor.	Nos	16			
10	Supply only PVC switch mounting box 6" x 8" Make- Havells/Bajaj/Anchor.	Nos	4			
11	Supply only Exhaust fan 100 amp 450mm sweep with louvers (make Crompton/Bajaj) .	Nos	2			

Ser No	Items	A/U	Qty	Rate/ unit	total	Remarks
12	Supply only Wire PVC insulated cable 1.5 sqmm multistranded Copper conductor single core 1100V, grade conforming to IS 694/1990 a roll of 90m long of Make: Havells/Paragon/Finolex/Plaza, ISI marked	Roll	5			
13	Supply only Wire PVC insulated cable 2.5 sqmm multistranded Copper conductor single core 1100V, grade conforming to IS 694/1990 a roll of 90m long of Make: Havells/Paragon/Finolex/Plaza, ISI marked	Roll	2			
14	Supply only Wire PVC insulated cable 4 sqmm multistranded Copper conductor single core 1100V, grade conforming to IS 694/1990 a roll of 90m long of Make: Havells/Paragon/Finolex/Plaza, ISI marked	Roll	2			
15	Supply only PVC pipe 20 mm size Make Polyplast / Beralia/Power/Shakti or equivalent make ISI marked	RM	400			
16	Supply only PVC Tee 20mm Make Polyplast/ Beralia/ Power/Shakti or equivalent make	Nos	30			
17	Supply only PVC Bend 20mm make Polyplast/ Beralia/ Power/Shakti or equivalent make	Nos	30			
18	Supply only GI earthing plate 600x600x6mm thick with 10 mm dia, 25 mm long 02 Nos nut & bolts.	Nos	2			
19	Supply only Common Salt	Kgs	25			
20	Supply only Charcoal	Kgs	25			
21	Supply only GI wire 4mm (8 SWG)	Kgs	5			
22	Supply only CI cover 5mm thick (300 x 300mm size) hinged to CI frame	Nos	1			
23	Supply only GI funnel with wire mesh	Nos	1			
24	Supply only Tape insulation 10 mtr roll Make Steel grip/Anchor grip	Roll	10			
25	Supply only Rawl plug (Pkt of 100 Nos)	Pkt	12			
26	Supply only Aluminium strip 25 x 3mm wide.	Mtr	20			
27	Supply only GI strip 25x3mm wide.	Mtr	8			
28	Supply only Screw Steel Full threaded 25mm (Pkt of 100 Nos)	Pkt	6			
29	Supply only Screw Steel Full threaded 32 mm (Pkt of 100 Nos)	Pkt	2			
30	Supply only Screw Steel Full threaded 40mm (Pkt of 100 Nos)	Pkt	2			
31	Supply only PVC box of size 4"x4" for mounting ceiling rose/ pendent holder.	Nos	26			
32	Supply only Conduit clips (Pkt of 100 Nos).	Pkt	5			
33	Supply only GI Pipe 20mm dia 6' Long Light grade Make Jindal /TATA.	Nos	1			

Ser No	Items	A/U	Qty	Rate/ unit	total	Remarks
34	Supply only GI Pipe 50mm dia 6' Long medium grade Make Jindal /TATA.	Nos	1			
35	Supply only fan regulator Make Havells , Anchor, Crona	Nos	36			
36	Supply only casing and caping 10" pvc pipe Make Kalinga , AXI	RM	15			
37	Supply only screw as per IS code completely as specified and directed	Box	1			
38	Supply only Tape insulation 10 mtr roll Make Steel grip/Anchor grip	Roll	5			
40	Supply only flexible pipe (20m)	RM	25			
41	Supply only pannel board frame of wrought iron of specified thickness as specified and directed	NOS	1			
42	Supply only 63 Amp MCCB Make :Anchor, Havells, Crompton Greaves	NOS	1			
43	Supply only distribution box Make Legrand, Anchor, Crompton Greaves	NOS	1			
44	Supply only change over switch Make : Havells, Anchor, Crompton Greaves	NOS	1			
45	Supply only binding wire of specific thickness completely as specified and directed	KG	1			
	Total Amount					
	Total Amount in words					
	Signature of Seller					Signature of Accepting Officer